

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{October 2019}
7
8 \begin{document}
9 \maketitle
10
11
12 \end{document}
13
```

Mathematical paper

Quick Maths Revision

October 2019

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{October 2019}
7
8 \begin{document}
9 \maketitle
10
11
12 \end{document}
13
```

Mathematical paper

Quick Maths Revision

October 2019

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{October 2019}
7
8 \begin{document}
9 \maketitle
10
11
12 \end{document}
13
```

Mathematical paper

Quick Maths Revision

October 2019

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{}
7
8 \begin{document}
9 \begin{titlepage}
10 \makeatletter
11 \usepackage[{}]{pstricks}
12 \end{titlepage}
13 \end{document}
```

Mathematical paper

Quick Maths Revision

October 2019

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10
11
12 \end{document}
13
```

Mathematical paper

Quick Maths Revision

October 2019

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10
11
12 \end{document}
13
```

Mathematical paper

Quick Maths Revision

October 31, 2019

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10
11
12 \end{document}
13
```

Mathematical paper

Quick Maths Revision

October 31, 2019

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \section{
11 \section{} cmd
12 \subsection{} cmd
13 \subsubsection{} cmd
14 \usepackage{caption} pkg
15 \usepackage{subcaption} pkg
16 \usepackage{collection} pkg
```

Mathematical paper

Quick Maths Revision

October 31, 2019

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \section{Secti
11
12 \end{document}
13
```

Mathematical paper

Quick Maths Revision

October 31, 2019

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \section{Section 1}
11
12 \end{document}
13
```

Mathematical paper

Quick Maths Revision

October 31, 2019

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \section{Section 1}
11 |
12
13 \end{document}
14
```

Mathematical paper

Quick Maths Revision

October 31, 2019

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \section{Section 1}
11 |
12
13 \end{document}
14
```

Mathematical paper

Quick Maths Revision

October 31, 2019

1 Section 1

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \section{Section 1}
11
12
13 \end{document}
14
```

Mathematical paper

Quick Maths Revision

October 31, 2019

1 Section 1

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10
11 \section{Section 1}
12
13
14 \end{document}
15
```

Mathematical paper

Quick Maths Revision

October 31, 2019

1 Section 1

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \
11 \usepackage{} pkg
12 \today cmd
13 \begin{} env
14 \begin{}[] env
15 \begin{}{} env
16 \end{} env
17 \usepackage[]{} pkg
18 \item cmd
```

Mathematical paper

Quick Maths Revision

October 31, 2019

1 Section 1

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12
13
14 \end{document}
15
```

Mathematical paper

Quick Maths Revision

October 31, 2019

1 Section 1

Source Rich Text

- main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12
13
14 \end{document}
15
```

Recompile

Navigation icons: Home, Bold, Search, Zoom

Mathematical paper
Quick Maths Revision
October 31, 2019

1 Section 1

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12
13
14 \end{document}
15
```

Mathematical paper

Quick Maths Revision

October 31, 2019

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12
13
14 \end{document}
15
```

1 Section 1

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12
13
14
15 \end{document}
16
```

1 Section 1

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \s
13 \section{} cmd
14 \subsection{} cmd
15 \sum cmd
16 \subsubsection{} cmd
   \setlength{}{} cmd
   \setlength cmd
   \sigma cmd
   \small cmd
```

1 Section 1

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \section
13
14
15 \end{document}
16
```

1 Section 1

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \section{Section 2}
13
14
15 \end{document}
16
```

1 Section 1

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \section{Section 2}
13
14
15 \end{document}
16
```

1 Section 1

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \section{Section 2}
13 \s
14 \section{} cmd
15 \subsection{} cmd
16 \sum cmd
17 \subsubsection{} cmd
   \setlength{}{} cmd
   \setlength cmd
   \sigma cmd
   \small cmd
```

1 Section 1

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \section{Section 2}
13 \section{
14 \section{} cmd
15 \subsection{} cmd
16 \subsubsection{} cmd
17
```

1 Section 1

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \section{Section 2}
13 \section{Se
14
15
16 \end{document}
17
```

1 Section 1

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \section{Section 2}
13 \section{Section 3}
14
15
16 \end{document}
17
```

1 Section 1

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \section{Section 2}
13 \section{Section 3}
14
15
16 \end{document}
17
```

1 Section 1

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \section{Section 2}
13 \section{Section 3}
14
15
16 \end{document}
17
```

1 Section 1

2 Section 2

3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12
13 \section{Section 2}
14 \section{Section 3}
15
16
17 \end{document}
18
```

1 Section 1
2 Section 2
3 Section 3

Waiting for compiles.overleaf.com...

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \
13 \usepackage{} pkg
14 \today cmd
15 \titlepage cmd
16 \begin{} env
17 \begin{}[] env
18 \end{} env
19 \usepackage[]{} pkg
```

1 Section 1
2 Section 2
3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \sub
13 \subsection{}
14 \subsubsection{}
15
16
17 \end{document}
18
```

1 Section 1
2 Section 2
3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \subsection{
13 \subsection{} end
14 \subsubsection{} end
15
16
17 \end{document}
18
```

1 Section 1
2 Section 2
3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \subsection{Subsec}
13 \section{Section 2}
14 \section{Section 3}
15
16
17 \end{document}
18
```

1 Section 1

2 Section 2

3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \subsection{Subsection 1a}
13 \section{Section 2}
14 \section{Section 3}
15
16
17 \end{document}
18
```

1 Section 1
2 Section 2
3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \subsection{Subsection 1a}
13 \section{Section 2}
14 \section{Section 3}
15
16
17 \end{document}
18
```

1 Section 1

2 Section 2

3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \subsection{Subsection 1a}
13 \section{Section 2}
14
15 \section{Section 3}
16
17
18 \end{document}
19
```

1 Section 1

2 Section 2

3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \subsection{Subsection 1a}
13 \section{Section 2}
14 \subse
15 \subsection{} cmd
16 \subsubsection{} cmd
17
18 \end{document}
19
```

1 Section 1
2 Section 2
3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \subsection{Subsection 1a}
13 \section{Section 2}
14 \subsection{
15 \subsection{} cmd
16 \subsubsection{} cmd
17
18 \end{document}
19
```

1 Section 1

2 Section 2

3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \subsection{Subsection 1a}
13 \section{Section 2}
14 \subsection{Subsection }
15 \section{Section 3}
16
17
18 \end{document}
19
```

1 Section 1

2 Section 2

3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \subsection{Subsection 1a}
13 \section{Section 2}
14 \subsection{Subsection 2a}
15 \section{Section 3}
16
17
18 \end{document}
19
```

1 Section 1
2 Section 2
3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \subsection{Subsection 1a}
13 \section{Section 2}
14 \subsection{Subsection 2a}
15
16 \section{Section 3}
17
18
19 \end{document}
20
```

1 Section 1

2 Section 2

3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \subsection{Subsection 1a}
13 \section{Section 2}
14 \subsection{Subsection 2a}
15 \su
16 \subsection{} cmd
17 \sum cmd
18 \subsection{} cmd
19 \usepackage{url} pkg
20 \usepackage{ulem} pkg
21 \usepackage{multirow} pkg
22 \usepackage{multicol} pkg
23 \usepackage{subcaption} pkg
```

1 Section 1
2 Section 2
3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \subsection{Subsection 1a}
13 \section{Section 2}
14 \subsection{Subsection 2a}
15 \subsection{
16 \subsection{} cmd
17 \subsubsection{} cmd
18
19 \end{document}
20
```

1 Section 1
2 Section 2
3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \subsection{Subsection 1a}
13 \section{Section 2}
14 \subsection{Subsection 2a}
15 \subsection{s}
16 \section{Section 3}
17
18
19 \end{document}
20
```

1 Section 1
2 Section 2
3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \subsection{Subsection 1a}
13 \section{Section 2}
14 \subsection{Subsection 2a}
15 \subsection{Subsection }
16 \section{Section 3}
17
18
19 \end{document}
20
```

1 Section 1

2 Section 2

3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \subsection{Subsection 1a}
13 \section{Section 2}
14 \subsection{Subsection 2a}
15 \subsection{Subsection 2b}
16 \section{Section 3}
17
18
19 \end{document}
20
```

1 Section 1

2 Section 2

3 Section 3

main.tex

- main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \subsection{Subsection 1a}
13 \section{Section 2}
14 \subsection{Subsection 2a}
15 \subsection{Subsection 2b}
16 \section{Section 3}
17
18
19 \end{document}
20
```

Navigation icons: Home, Text, Search, Find

1 Section 1

1.1 Subsection 1a

2 Section 2

2.1 Subsection 2a

2.2 Subsection 2b

3 Section 3

main.tex

- main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \subsection{Subsection 1a}
13 \section{Section 2}
14 \subsection{Subsection 2a}
15 \subsection{Subsection 2b}
16 \section{Section 3}
17
18
19 \end{document}
20
```

1 Section 1

1.1 Subsection 1a

2 Section 2

2.1 Subsection 2a

2.2 Subsection 2b

3 Section 3

main.tex

- main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \subsection{Subsection 1a}
13 \section{Section 2}
14 \subsection{Subsection 2a}
15 \subsection{Subsection 2b}
16 \section{Section 3}
17
18
19 \end{document}
20
```

1 Section 1

1.1 Subsection 1a

2 Section 2

2.1 Subsection 2a

2.2 Subsection 2b

3 Section 3

main.tex

- main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \subsection{Subsection 1a}
13 \section{Section 2}
14 \subsection{Subsection 2a}
15 \subsection{Subsection 2b}
16 \section{Section 3}
17
18
19 \end{document}
20
```

1 Section 1

1.1 Subsection 1a

2 Section 2

2.1 Subsection 2a

2.2 Subsection 2b

3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \subsection{Subsection 1a}
13 \section{Section 2}
14 \subsection{Subsection 2a}
15 \subsection{Subsection 2b}
16 \section{Section 3}
17
18
19 \end{document}
20
```

1 Section 1
1.1 Subsection 1a
2 Section 2
2.1 Subsection 2a
2.2 Subsection 2b
3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \subsection{Subsection 1a}
13 \section{Section 2}
14 \subsection{Subsection 2a}
15
16 \subsection{Subsection 2b}
17 \section{Section 3}
18
19
20 \end{document}
21
```

1 Section 1

1.1 Subsection 1a

2 Section 2

2.1 Subsection 2a

2.2 Subsection 2b

3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \subsection{Subsection 1a}
13 \section{Section 2}
14 \subsection{Subsection 2a}
15 \su
16 \subsection{} cmd
17 \sum cmd
18 \subsubsection{} cmd
19 \usepackage{url} pkg
20 \usepackage{ulem} pkg
21 \usepackage{multirow} pkg
22 \usepackage{multicol} pkg
23 \usepackage{subcaption} pkg
```

1 Section 1

1.1 Subsection 1a

2 Section 2

2.1 Subsection 2a

2.2 Subsection 2b

3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \subsection{Subsection 1a}
13 \section{Section 2}
14 \subsection{Subsection 2a}
15 \subsubse
16 \subsubsection{}
17 \section{Section 3}
18
19
20 \end{document}
21
```

1 Section 1

1.1 Subsection 1a

2 Section 2

2.1 Subsection 2a

2.2 Subsection 2b

3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \subsection{Subsection 1a}
13 \section{Section 2}
14 \subsection{Subsection 2a}
15 \subsubsection{
16 \subsubsection{}
17 \section{Section 3}
18
19
20 \end{document}
21
```

1 Section 1
1.1 Subsection 1a
2 Section 2
2.1 Subsection 2a
2.2 Subsection 2b
3 Section 3

main.tex

- main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \subsection{Subsection 1a}
13 \section{Section 2}
14 \subsection{Subsection 2a}
15 \subsubsection{Subsub}
16 \subsection{Subsection 2b}
17 \section{Section 3}
18
19
20 \end{document}
21
```

1 Section 1

1.1 Subsection 1a

2 Section 2

2.1 Subsection 2a

2.2 Subsection 2b

3 Section 3

main.tex

- main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \subsection{Subsection 1a}
13 \section{Section 2}
14 \subsection{Subsection 2a}
15 \subsubsection{Subsubsection}
16 \subsection{Subsection 2b}
17 \section{Section 3}
18
19
20 \end{document}
21
```

1 Section 1

1.1 Subsection 1a

2 Section 2

2.1 Subsection 2a

2.2 Subsection 2b

3 Section 3

main.tex

- main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \subsection{Subsection 1a}
13 \section{Section 2}
14 \subsection{Subsection 2a}
15 \subsubsection{Subsubsection}
16 \subsection{Subsection 2b}
17 \section{Section 3}
18
19
20 \end{document}
21
```

1 Section 1

1.1 Subsection 1a

2 Section 2

2.1 Subsection 2a

2.2 Subsection 2b

3 Section 3

main.tex

- main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \subsection{Subsection 1a}
13 \section{Section 2}
14 \subsection{Subsection 2a}
15 \subsubsection{Subsubsection 2a}
16 \subsection{Subsection 2b}
17 \section{Section 3}
18
19
20 \end{document}
21
```

1 Section 1

1.1 Subsection 1a

2 Section 2

2.1 Subsection 2a

2.2 Subsection 2b

3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \subsection{Subsection 1a}
13 \section{Section 2}
14 \subsection{Subsection 2a}
15 \subsubsection{Subsubsection 2a1}
16 \subsection{Subsection 2b}
17 \section{Section 3}
18
19
20 \end{document}
21
```

1 Section 1

1.1 Subsection 1a

2 Section 2

2.1 Subsection 2a

2.2 Subsection 2b

3 Section 3

main.tex

- main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \subsection{Subsection 1a}
13 \section{Section 2}
14 \subsection{Subsection 2a}
15 \subsubsection{Subsubsection 2ai}
16 \subsection{Subsection 2b}
17 \section{Section 3}
18
19
20 \end{document}
21
```

1 Section 1

1.1 Subsection 1a

2 Section 2

2.1 Subsection 2a

2.1.1 Subsubsection 2ai

2.2 Subsection 2b

3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \subsection{Subsection 1a}
13 \section{Section 2}
14 \subsection{Subsection 2a}
15 \subsubsection{Subsubsection 2ai}
16 \subsection{Subsection 2b}
17 \section{Section 3}
18
19
20 \end{document}
21
```

1 Section 1

1.1 Subsection 1a

2 Section 2

2.1 Subsection 2a

2.1.1 Subsubsection 2ai

2.2 Subsection 2b

3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \subsection{Subsection 1a}
13 \section{Section 2}
14 \subsection{Subsection 2a}
15 \subsubsection{Subsubsection 2ai}
16 \subsection{Subsection 2b}
17 \section{Section 3}
18
19
20 \end{document}
21
```

1 Section 1

1.1 Subsection 1a

2 Section 2

2.1 Subsection 2a

2.1.1 Subsubsection 2ai

2.2 Subsection 2b

3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \subsection{Subsection 1a}
13 \section{Section 2}
14 \subsection{Subsection 2a}
15 \subsubsection{Subsubsection 2ai}
16 \subsection{Subsection 2b}
17 \section{Section 3}
18
19
20 \end{document}
21
```

1

1 Section 1

1.1 Subsection 1a

2 Section 2

2.1 Subsection 2a

2.1.1 Subsubsection 2ai

2.2 Subsection 2b

3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \section{Section 1}
12 \subsection{Subsection 1a}
13 \section{Section 2}
14 \subsection{Subsection 2a}
15 \subsubsection{Subsubsection 2ai}
16 \subsection{Subsection 2b}
17 \section{Section 3}
18
19
20 \end{document}
21
```

1 Section 1
1.1 Subsection 1a
2 Section 2
2.1 Subsection 2a
2.1.1 Subsubsection 2ai
2.2 Subsection 2b
3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11
12 \section{Section 1}
13 \subsection{Subsection 1a}
14 \section{Section 2}
15 \subsection{Subsection 2a}
16 \subsubsection{Subsubsection 2ai}
17 \subsection{Subsection 2b}
18 \section{Section 3}
19
20
21 \end{document}
22
```

1 Section 1

1.1 Subsection 1a

2 Section 2

2.1 Subsection 2a

2.1.1 Subsubsection 2ai

2.2 Subsection 2b

3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11
12 \usepackage{} pkg
13 \today cmd
14 \titlepage cmd
15 \begin{} env
16 \begin{}{} env
17 \end{} env
18 \usepackage[]{} pkg
19
20
21 \end{document}
22
```

1 Section 1

1.1 Subsection 1a

2 Section 2

2.1 Subsection 2a

2.1.1 Subsubsection 2ai

2.2 Subsection 2b

3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \table
12 \begin{table}... env
13 \usepackage{longtable} pkg
14 \section{Section 2}
15 \subsection{Subsection 2a}
16 \subsubsection{Subsubsection 2ai}
17 \subsection{Subsection 2b}
18 \section{Section 3}
19
20
21 \end{document}
22
```

1 Section 1
1.1 Subsection 1a
2 Section 2
2.1 Subsection 2a
2.1.1 Subsubsection 2ai
2.2 Subsection 2b
3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \section{Section 1}
13 \subsection{Subsection 1a}
14 \section{Section 2}
15 \subsection{Subsection 2a}
16 \subsubsection{Subsubsection 2ai}
17 \subsection{Subsection 2b}
18 \section{Section 3}
19
20
21 \end{document}
22
```

1 Section 1

1.1 Subsection 1a

2 Section 2

2.1 Subsection 2a

2.1.1 Subsubsection 2ai

2.2 Subsection 2b

3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \section{Section 1}
13 \subsection{Subsection 1a}
14 \section{Section 2}
15 \subsection{Subsection 2a}
16 \subsubsection{Subsubsection 2ai}
17 \subsection{Subsection 2b}
18 \section{Section 3}
19
20
21 \end{document}
22
```

1 Section 1

1.1 Subsection 1a

2 Section 2

2.1 Subsection 2a

2.1.1 Subsubsection 2ai

2.2 Subsection 2b

3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \section{Section 1}
13 \subsection{Subsection 1a}
14 \section{Section 2}
15 \subsection{Subsection 2a}
16 \subsubsection{Subsubsection 2ai}
17 \subsection{Subsection 2b}
18 \section{Section 3}
19
20
21 \end{document}
22
```

Contents

1	Section 1	1
1.1	Subsection 1a	1
2	Section 2	1
2.1	Subsection 2a	1
2.1.1	Subsubsection 2ai	1
2.2	Subsection 2b	1
3	Section 3	1

1 Section 1

1.1 Subsection 1a

2 Section 2

2.1 Subsection 2a

2.1.1 Subsubsection 2ai

2.2 Subsection 2b

3 Section 3

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \section{Section 1}
13 \subsection{Subsection 1a}
14 \section{Section 2}
15 \subsection{Subsection 2a}
16 \subsubsection{Subsubsection 2ai}
17 \subsection{Subsection 2b}
18 \section{Section 3}
19
20
21 \end{document}
22
```

Contents

1 Section 1	1
1.1 Subsection 1a	1
2 Section 2	1
2.1 Subsection 2a	1
2.1.1 Subsubsection 2ai	1
2.2 Subsection 2b	1
3 Section 3	1

1 Section 1

1.1 Subsection 1a

2 Section 2

2.1 Subsection 2a

2.1.1 Subsubsection 2ai

2.2 Subsection 2b

3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12
13 \section{Section 1}
14 \subsection{Subsection 1a}
15 \section{Section 2}
16 \subsection{Subsection 2a}
17 \subsubsection{Subsubsection 2ai}
18 \subsection{Subsection 2b}
19 \section{Section 3}
20
21
22 \end{document}
23
```

Contents

1 Section 1	1
1.1 Subsection 1a	1
2 Section 2	1
2.1 Subsection 2a	1
2.1.1 Subsubsection 2ai	1
2.2 Subsection 2b	1
3 Section 3	1

1 Section 1

1.1 Subsection 1a

2 Section 2

2.1 Subsection 2a

2.1.1 Subsubsection 2ai

2.2 Subsection 2b

3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \new
13 \newcommand{}{} cmd
14 \newcommand{}[1]{} cmd
15 \newline cmd
16 \newpage cmd
17 \newtheorem{}[1]{} cmd
18 \newtheorem{}{} cmd
19 \renewcommand{}{} cmd
20
21
22 \end{document}
23
```

Contents

1	Section 1	1
1.1	Subsection 1a	1
2	Section 2	1
2.1	Subsection 2a	1
2.1.1	Subsubsection 2ai	1
2.2	Subsection 2b	1
3	Section 3	1

1 Section 1

1.1 Subsection 1a

2 Section 2

2.1 Subsection 2a

2.1.1 Subsubsection 2ai

2.2 Subsection 2b

3 Section 3


```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \newpage
14 \subsection{Subsection 1a}
15 \section{Section 2}
16 \subsection{Subsection 2a}
17 \subsubsection{Subsubsection 2ai}
18 \subsection{Subsection 2b}
19 \section{Section 3}
20
21
22 \end{document}
23
```

Contents

1 Section 1	1
1.1 Subsection 1a	1
2 Section 2	1
2.1 Subsection 2a	1
2.1.1 Subsubsection 2ai	1
2.2 Subsection 2b	1
3 Section 3	1

1 Section 1

1.1 Subsection 1a

2 Section 2

2.1 Subsection 2a

2.1.1 Subsubsection 2ai

2.2 Subsection 2b

3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \newpage
14 \subsection{Subsection 1a}
15 \section{Section 2}
16 \subsection{Subsection 2a}
17 \subsubsection{Subsubsection 2ai}
18 \subsection{Subsection 2b}
19 \section{Section 3}
20
21
22 \end{document}
23
```

Contents

main.tex


```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \newpage
14 \subsection{Subsection 1a}
15 \section{Section 2}
16 \subsection{Subsection 2a}
17 \subsubsection{Subsubsection 2ai}
18 \subsection{Subsection 2b}
19 \section{Section 3}
20
21
22 \end{document}
23
```

Contents

1	Section 1	2
1.1	Subsection 1a	2
2	Section 2	2
2.1	Subsection 2a	2
2.1.1	Subsubsection 2ai	2
2.2	Subsection 2b	2
3	Section 3	2

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \subsection{Subsection 1a}
14 \section{Section 2}
15 \subsection{Subsection 2a}
16 \subsubsection{Subsubsection 2ai}
17 \subsection{Subsection 2b}
18 \section{Section 3}
19
20
21
22 \end{document}
23
```



main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \newpage
14 \subsection{Subsection 1a}
15 \section{Section 2}
16 \subsection{Subsection 2a}
17 \subsubsection{Subsubsection 2ai}
18 \subsection{Subsection 2b}
19 \section{Section 3}
20
21
22 \end{document}
23
```

1 Section 1

1.1 Subsection 1a

2 Section 2

2.1 Subsection 2a

2.1.1 Subsubsection 2ai

2.2 Subsection 2b

3 Section 3

main.tex

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20
- 21
- 22
- 23

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \newpage
14 \subsection{Subsection 1a}
15 \section{Section 2}
16 \subsection{Subsection 2a}
17 \subsubsection{Subsubsection 2ai}
18 \subsection{Subsection 2b}
19 \section{Section 3}
20
21
22 \end{document}
23
```

1 Section 1

1.1 Subsection 1a

2 Section 2

2.1 Subsection 2a

2.1.1 Subsubsection 2ai

2.2 Subsection 2b

3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \section{Section 1}
14 \subsection{Subsection 1a}
15 \section{Section 2}
16 \subsection{Subsection 2a}
17 \subsubsection{Subsubsection 2ai}
18 \subsection{Subsection 2b}
19 \section{Section 3}
20
21
22 \end{document}
23
```

1 Section 1

1.1 Subsection 1a

2 Section 2

2.1 Subsection 2a

2.1.1 Subsubsection 2ai

2.2 Subsection 2b

3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \section{Section 1}
14 \subsection{Subsection 1a}
15 \section{Section 2}
16 \subsection{Subsection 2a}
17 \subsubsection{Subsubsection 2ai}
18 \subsection{Subsection 2b}
19 \section{Section 3}
20
21
22 \end{document}
23
```

1 Section 1

1.1 Subsection 1a

2 Section 2

2.1 Subsection 2a

2.1.1 Subsubsection 2ai

2.2 Subsection 2b

3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \section{Section 1}
14 \subsection{Subsection 1a}
15 \section{Section 2}
16 \subsection{Subsection 2a}
17 \subsubsection{Subsubsection 2ai}
18 \subsection{Subsection 2b}
19 \section{Section 3}
20
21
22 \end{document}
23
```

1 Section 1

1.1 Subsection 1a

2 Section 2

2.1 Subsection 2a

2.1.1 Subsubsection 2ai

2.2 Subsection 2b

3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \section{Section 1}
14 \subsection{Subsection 1a}
15 \section{Section 2}
16 \subsection{Subsection 2a}
17 \subsubsection{Subsubsection 2ai}
18 \subsection{Subsection 2b}
19 \section{Section 3}
20
21
22 \end{document}
23
```

1 Section 1

1.1 Subsection 1a

2 Section 2

2.1 Subsection 2a

2.1.1 Subsubsection 2ai

2.2 Subsection 2b

3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \section{Section 1}
14 \subsection{Subsection 1a}
15 \section{Section 2}
16 \subsection{Subsection 2a}
17 \subsubsection{Subsubsection 2ai}
18 \subsection{Subsection 2b}
19 \section{Section 3}
20
21
22 \end{document}
23
```

1 Section 1

1.1 Subsection 1a

2 Section 2

2.1 Subsection 2a

2.1.1 Subsubsection 2ai

2.2 Subsection 2b

3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \section{Section 1}
14 \subsection{Subsection 1a}
15 \section{Section 2}
16 \subsection{Subsection 2a}
17 \subsubsection{Subsubsection 2ai}
18 \subsection{Subsection 2b}
19 \section{Section 3}
20
21
22 \end{document}
23
```

1 Section 1

1.1 Subsection 1a

2 Section 2

2.1 Subsection 2a

2.1.1 Subsubsection 2ai

2.2 Subsection 2b

3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \section{Section 1}
14 \subsection{Subsection 1a}
15 \section{Section 2}
16 \subsection{Subsection 2a}
17 \subsubsection{Subsubsection 2ai}
18 \subsection{Subsection 2b}
19 \section{Section 3}
20
21
22 \end{document}
23
```

1 Section 1

1.1 Subsection 1a

2 Section 2

2.1 Subsection 2a

2.1.1 Subsubsection 2ai

2.2 Subsection 2b

3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \section{Section 1}
14 \subsection{Subsection 1a}
15 \
16 \newcommand{}{} cmd
17 \newcommand{}[1]{} cmd
18 \noindent cmd
19 \newline cmd
20 \newpage cmd
21 \newtheorem{}{}{} cmd
22 \newtheorem{}[1]{}{} cmd
23 \end{document}
24
```

1 Section 1

1.1 Subsection 1a

2 Section 2

2.1 Subsection 2a

2.1.1 Subsubsection 2ai

2.2 Subsection 2b

3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \section{Section 1}
14 \subsection{Subsection 1a}
15 \newpage
16 \newpage
17 \subsection{Subsection 2a}
18 \subsubsection{Subsubsection 2ai}
19 \subsection{Subsection 2b}
20 \section{Section 3}
21
22
23 \end{document}
24
```

1 Section 1

1.1 Subsection 1a

2 Section 2

2.1 Subsection 2a

2.1.1 Subsubsection 2ai

2.2 Subsection 2b

3 Section 3

main.tex

- main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \section{Section 1}
14 \subsection{Subsection 1a}
15 \newpage
16 \newpage
17 \subsection{Subsection 2a}
18 \subsubsection{Subsubsection 2ai}
19 \subsection{Subsection 2b}
20 \section{Section 3}
21
22
23 \end{document}
24
```

1 Section 1

1.1 Subsection 1a

2 Section 2

2.1 Subsection 2a

2.1.1 Subsubsection 2ai

2.2 Subsection 2b

3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \section{Section 1}
14 \subsection{Subsection 1a}
15 \newpage
16 \section{Section 2}
17 \subsection{Subsection 2a}
18 \subsubsection{Subsubsection 2ai}
19 \subsection{Subsection 2b}
20 \section{Section 3}
21
22
23 \end{document}
24
```

1 Section 1
1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \section{Section 1}
14 \subsection{Subsection 1a}
15 \newpage
16 \section{Section 2}
17 \subsection{Subsection 2a}
18 \subsubsection{Subsubsection 2ai}
19 \subsection{Subsection 2b}
20 \section{Section 3}
21
22
23 \end{document}
24
```

2 Section 2

2.1 Subsection 2a

2.1.1 Subsubsection 2ai

2.2 Subsection 2b

3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \section{Section 1}
14 \subsection{Subsection 1a}
15 \newpage
16 \section{Section 2}
17 \subsection{Subsection 2a}
18 \subsubsection{Subsubsection 2ai}
19 \subsection{Subsection 2b}
20 \section{Section 3}
21
22
23 \end{document}
24
```

1 Section 1
1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \section{Section 1}
14 \subsection{Subsection 1a}
15 \newpage
16 \section{Section 2}
17 \subsection{Subsection 2a}
18 \subsubsection{Subsubsection 2ai}
19 \subsection{Subsection 2b}
20 \section{Section 3}
21
22
23 \end{document}
24
```

1 Section 1

1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13
14 \section{Section 1}
15 \subsection{Subsection 1a}
16 \newpage
17 \section{Section 2}
18 \subsection{Subsection 2a}
19 \subsubsection{Subsubsection 2ai}
20 \subsection{Subsection 2b}
21 \section{Section 3}
22
23
24 \end{document}
25
```

1 Section 1
1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13
14 \section{Section 1}
15 \subsection{Subsection 1a}
16 \newpage
17 \section{Section 2}
18 \subsection{Subsection 2a}
19 \subsubsection{Subsubsection 2ai}
20 \subsection{Subsection 2b}
21 \section{Section 3}
22
23
24 \end{document}
25
```

1 Section 1

1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{section}
14 \tableofcontents
15 \begin{figure}... env
16 \begin{frame}... env
17 \section{Section 2}
18 \subsection{Subsection 2a}
19 \subsubsection{Subsubsection 2ai}
20 \subsection{Subsection 2b}
21 \section{Section 3}
22
23
24 \end{document}
25
```

1 Section 1
1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{a
14 \begin{abstract}... env
15 \begin{align}... env
16 \begin{align*}... env
17 \begin{array}... env
18 \begin{gather}... env
19 \begin{gather*}... env
20 \begin{tabular}... env
21 \section{Section 3}
22
23
24 \end{document}
25
```

Recompile

1 Section 1

1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14 \begin{abstract}...
15 \subsection{Subsection 1a}
16 \newpage
17 \section{Section 2}
18 \subsection{Subsection 2a}
19 \subsubsection{Subsubsection 2ai}
20 \subsection{Subsection 2b}
21 \section{Section 3}
22
23
24 \end{document}
25
```

1 Section 1
1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14
15 \end{abstract}
16 \section{Section 1}
17 \subsection{Subsection 1a}
18 \newpage
19 \section{Section 2}
20 \subsection{Subsection 2a}
21 \subsubsection{Subsubsection 2ai}
22 \subsection{Subsection 2b}
23 \section{Section 3}
24
25
26 \end{document}
27
```

1 Section 1

1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is
15 \end{abstract}
16 \section{Section 1}
17 \subsection{Subsection 1a}
18 \newpage
19 \section{Section 2}
20 \subsection{Subsection 2a}
21 \subsubsection{Subsubsection 2ai}
22 \subsection{Subsection 2b}
23 \section{Section 3}
24
25
26 \end{document}
27
```

1 Section 1

1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstrac
15 \end{abstract}
16 \section{Section 1}
17 \subsection{Subsection 1a}
18 \newpage
19 \section{Section 2}
20 \subsection{Subsection 2a}
21 \subsubsection{Subsubsection 2ai}
22 \subsection{Subsection 2b}
23 \section{Section 3}
24
25
26 \end{document}
27
```

1 Section 1

1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It
15 \end{abstract}
16 \section{Section 1}
17 \subsection{Subsection 1a}
18 \newpage
19 \section{Section 2}
20 \subsection{Subsection 2a}
21 \subsubsection{Subsubsection 2ai}
22 \subsection{Subsection 2b}
23 \section{Section 3}
24
25
26 \end{document}
27
```

1 Section 1

1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14 This is my abstract. It is a short o
15 \end{abstract}
16 \section{Section 1}
17 \subsection{Subsection 1a}
18 \newpage
19 \section{Section 2}
20 \subsection{Subsection 2a}
21 \subsubsection{Subsubsection 2ai}
22 \subsection{Subsection 2b}
23 \section{Section 3}
24
25
26 \end{document}
27
```

1 Section 1

1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14 This is my abstract. It is a short overview of
15 \end{abstract}
16 \section{Section 1}
17 \subsection{Subsection 1a}
18 \newpage
19 \section{Section 2}
20 \subsection{Subsection 2a}
21 \subsubsection{Subsubsection 2ai}
22 \subsection{Subsection 2b}
23 \section{Section 3}
24
25
26 \end{document}
27
```

1 Section 1

1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14 This is my abstract. It is a short overview of what the pa
15 \end{abstract}
16 \section{Section 1}
17 \subsection{Subsection 1a}
18 \newpage
19 \section{Section 2}
20 \subsection{Subsection 2a}
21 \subsubsection{Subsubsection 2ai}
22 \subsection{Subsection 2b}
23 \section{Section 3}
24
25
26 \end{document}
27
```

1 Section 1

1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14 This is my abstract. It is a short overview of what the paper entails
15 \end{abstract}
16 \section{Section 1}
17 \subsection{Subsection 1a}
18 \newpage
19 \section{Section 2}
20 \subsection{Subsection 2a}
21 \subsubsection{Subsubsection 2ai}
22 \subsection{Subsection 2b}
23 \section{Section 3}
24
25
26 \end{document}
27
```

1 Section 1

1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14 This is my abstract. It is a short overview of what the paper entails. It
15 \end{abstract}
16 \section{Section 1}
17 \subsection{Subsection 1a}
18 \newpage
19 \section{Section 2}
20 \subsection{Subsection 2a}
21 \subsubsection{Subsubsection 2ai}
22 \subsection{Subsection 2b}
23 \section{Section 3}
24
25
26 \end{document}
27
```

1 Section 1

1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
   is no
15 \end{abstract}
16 \section{Section 1}
17 \subsection{Subsection 1a}
18 \newpage
19 \section{Section 2}
20 \subsection{Subsection 2a}
21 \subsubsection{Subsubsection 2ai}
22 \subsection{Subsection 2b}
23 \section{Section 3}
24
25
26 \end{document}
27
```

1 Section 1

1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
   is normally |
15 \end{abstract}
16 \section{Section 1}
17 \subsection{Subsection 1a}
18 \newpage
19 \section{Section 2}
20 \subsection{Subsection 2a}
21 \subsubsection{Subsubsection 2ai}
22 \subsection{Subsection 2b}
23 \section{Section 3}
24
25
26 \end{document}
27
```

1 Section 1

1.1 Subsection 1a

Source Rich Text

- main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14 This is my abstract. It is a short overview of what the paper entails. It
15 is normally quite short.
16 \end{abstract}
17 \section{Section 1}
18 \subsection{Subsection 1a}
19 \newpage
20 \section{Section 2}
21 \subsection{Subsection 2a}
22 \subsubsection{Subsubsection 2ai}
23 \subsection{Subsection 2b}
24 \section{Section 3}
25
26 \end{document}
27
```

Recompile

1 Section 1

1.1 Subsection 1a

Source Rich Text

- main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14 This is my abstract. It is a short overview of what the paper entails. It
15 is normally quite short and easy
16 \end{abstract}
17 \section{Section 1}
18 \subsection{Subsection 1a}
19 \newpage
20 \section{Section 2}
21 \subsection{Subsection 2a}
22 \subsubsection{Subsubsection 2ai}
23 \subsection{Subsection 2b}
24 \section{Section 3}
25
26 \end{document}
27
```

Recompile

1 Section 1

1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14 This is my abstract. It is a short overview of what the paper entails. It
15 is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 \subsection{Subsection 1a}
19 \newpage
20 \section{Section 2}
21 \subsection{Subsection 2a}
22 \subsubsection{Subsubsection 2ai}
23 \subsection{Subsection 2b}
24 \section{Section 3}
25
26 \end{document}
27
```

1 Section 1

1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 \subsection{Subsection 1a}
19 \newpage
20 \section{Section 2}
21 \subsection{Subsection 2a}
22 \subsubsection{Subsubsection 2ai}
23 \subsection{Subsection 2b}
24 \section{Section 3}
25
26 \end{document}
27
```

Recompile

1 Section 1

1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
   is normally quite short and easy to follow.
15 \end{abstract}
16 \section{Section 1}
17 \subsection{Subsection 1a}
18 \newpage
19 \section{Section 2}
20 \subsection{Subsection 2a}
21 \subsubsection{Subsubsection 2ai}
22 \subsection{Subsection 2b}
23 \section{Section 3}
24
25
26 \end{document}
27
```

Abstract

This is my abstract. It is a short overview of what the paper entails. It is normally quite short and easy to follow.

1 Section 1

1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26
27
28 \end{document}
29
```

Abstract

This is my abstract. It is a short overview of what the paper entails. It is normally quite short and easy to follow.

1 Section 1

1.1 Subsection 1a

Source Rich Text

- main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 | I
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26
27
28 \end{document}
29
```

Recompile

Abstract

This is my abstract. It is a short overview of what the paper entails. It is normally quite short and easy to follow.

1 Section 1

1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26
27
28 \end{document}
29
```

Abstract

This is my abstract. It is a short overview of what the paper entails. It is normally quite short and easy to follow.

1 Section 1

1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is secti
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26
27
28 \end{document}
29
```

Abstract

This is my abstract. It is a short overview of what the paper entails. It is normally quite short and easy to follow.

1 Section 1

1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1.
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26
27
28 \end{document}
29
```

Abstract

This is my abstract. It is a short overview of what the paper entails. It is normally quite short and easy to follow.

1 Section 1

1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1, it comes |
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26
27
28 \end{document}
29
```

Abstract

This is my abstract. It is a short overview of what the paper entails. It is normally quite short and easy to follow.

1 Section 1

1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1, it comes before secti
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26
27
28 \end{document}
29
```

Abstract

This is my abstract. It is a short overview of what the paper entails. It is normally quite short and easy to follow.

1 Section 1

1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1, it comes before section 2.
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26
27
28 \end{document}
29
```

Abstract

This is my abstract. It is a short overview of what the paper entails. It is normally quite short and easy to follow.


1 Section 1

1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1, it comes before section 2.
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26
27
28 \end{document}
29
```

Recompile



main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1, it comes before section 2.
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26
27
28 \end{document}
29
```

Abstract

This is my abstract. It is a short overview of what the paper entails. It is normally quite short and easy to follow.

1 Section 1

This is section 1, it comes before section 2.

1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1, it comes before section 2.
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26
27
28 \end{document}
29
```

Abstract

This is my abstract. It is a short overview of what the paper entails. It is normally quite short and easy to follow.

1 Section 1

This is section 1, it comes before section 2.

1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18   This is section 1, it comes before section 2.
19 \subsection{Subs}
20 \newpage
21 \section{Section 2}
22 \subsection{Subs}
23 \subsubsection{Subs}
24 \subsection{Subs}
25 \section{Section 3}
26
27
28 \end{document}
29
```

Recompile

Abstract

This is my abstract. It is a short overview of what the paper entails. It is normally quite short and easy to follow.

1 Section 1

This is section 1, it comes before section 2.

1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1 footnote, it comes before section 2.
19 \footnote{\footnotesize \textit{This is section 1 footnote, it comes before section 2.}}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26
27
28 \end{document}
29
```

Abstract

This is my abstract. It is a short overview of what the paper entails. It is normally quite short and easy to follow.

1 Section 1

This is section 1, it comes before section 2.

1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1 \footnote{ it comes before section 2.
19   \footnote{}
20   \footnotesize{}
21 \subsection{Subsection 1a}
22 \newpage
23 \section{Section 2}
24 \subsection{Subsection 2a}
25 \subsubsection{Subsubsection 2ai}
26 \subsection{Subsection 2b}
27 \section{Section 3}
28 \end{document}
29
```

Abstract

This is my abstract. It is a short overview of what the paper entails. It is normally quite short and easy to follow.

1 Section 1

This is section 1, it comes before section 2.

1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1 \footnote{ it comes before section 2. }
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26
27
28 \end{document}
29
```

Abstract

This is my abstract. It is a short overview of what the paper entails. It is normally quite short and easy to follow.

1 Section 1

This is section 1, it comes before section 2.

1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1 \footnote{This it comes before section 2.}
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsubsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26
27
28 \end{document}
29
```

Abstract

This is my abstract. It is a short overview of what the paper entails. It is normally quite short and easy to follow.

1 Section 1

This is section 1, it comes before section 2.

1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18   This is section 1 \footnote{This is footnote, it comes before section 2.}
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26
27
28 \end{document}
29
```

Abstract

This is my abstract. It is a short overview of what the paper entails. It is normally quite short and easy to follow.

1 Section 1

This is section 1, it comes before section 2.

1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1 \footnote{This is footnote 1} it comes before section 2.
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26
27
28 \end{document}
29
```

Abstract

This is my abstract. It is a short overview of what the paper entails. It is normally quite short and easy to follow.

1 Section 1

This is section 1, it comes before section 2.

1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1\footnote{This is footnote 1} it comes before section 2.
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsubsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsubsection 2b}
25 \section{Section 3}
26
27
28 \end{document}
29
```

Compiling...

Abstract

This is my abstract. It is a short overview of what the paper entails. It is normally quite short and easy to follow.

1 Section 1

This is section 1, it comes before section 2.

1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1\footnote{This is footnote 1} it comes before section 2.
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26
27
28 \end{document}
29
```

Abstract

This is my abstract. It is a short overview of what the paper entails. It is normally quite short and easy to follow.

1 Section 1

This is section 1¹, it comes before section 2.

1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1\footnote{This is footnote 1} it comes before section 2.
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26
27
28 \end{document}
29
```

Abstract

This is my abstract. It is a short overview of what the paper entails. It is normally quite short and easy to follow.

1 Section 1

This is section 1¹, it comes before section 2.

1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1\footnote{This is footnote 1} it comes before section 2.
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26
27
28 \end{document}
29
```

This is footnote 1

2

Source Rich Text

- main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1\footnote{This is footnote 1} it comes before section 2.
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26
27
28 \end{document}
29
```

Recompile



main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1\footnote{This is footnote 1} it comes before section 2.
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26
27
28 \end{document}
29
```

I

Abstract

This is my abstract. It is a short overview of what the paper entails. It is normally quite short and easy to follow.

1 Section 1

This is section 1¹, it comes before section 2.

1.1 Subsection 1a

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1\footnote{This is footnote 1} it comes before section 2.
19
20 \subsection{Subsection 1a}
21 \newpage
22 \section{Section 2}
23 \subsection{Subsection 2a}
24 \subsubsection{Subsubsection 2ai}
25 \subsection{Subsection 2b}
26 \section{Section 3}
27
28 \end{document}
29
```

2 Section 2

2.1 Subsection 2a

2.1.1 Subsubsection 2ai

2.2 Subsection 2b

3 Section 3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1\footnote{This is footnote 1}, it comes before section 2.
19
20 \subsection{Subsection 1a}
21 \newpage
22 \section{Section 2}
23 \subsection{Subsection 2a}
24 \subsubsection{Subsubsection 2ai}
25 \section{Section 3}
26
27
28 \end{document}
29
```

3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18   This is section 1\footnote{This is footnote 1}, it comes before section 2.
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26
27
28
29 \end{document}
30
```

3


main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1\footnote{This is footnote 1}, it comes before section 2.
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \kappa
23 \usepackage{appendix} pkg
24 \usepackage{pdfpages} pkg
25 \usepackage{pgfplots} pkg
26 \usepackage{epstopdf} pkg
27 \usepackage{parskip} pkg
28 \app
29 \end{document}
30
```

3


main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1\footnote{This is footnote 1}, it comes before section 2.
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26 \usepackage{appendix}
27 \appendix
28
29 \end{document}
30
```



main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1\footnote{This is footnote 1}, it comes before section 2.
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26
27 \usepackage{appendix}
28
29 \end{document}
30
```




main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1\footnote{This is footnote 1}, it comes before section 2.
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26
27 \usepacka
28
29 \end{document}
30
```

3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1\footnote{This is footnote 1}, it comes before section 2.
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \kappa end
23 \usepackage{appendix} pkg
24 \usepackage{pdfpages} pkg
25 \usepackage{pgfplots} pkg
26 \usepackage{epstopdf} pkg
27 \usepackage{parskip} pkg
28 \app
29 \end{document}
30
```



main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1\footnote{This is footnote 1}, it comes before section 2.
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26 \usepackage{appendix}.pkc
27 \appendix
28
29 \end{document}
30
```

3


main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1\footnote{This is footnote 1}, it comes before section 2.
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26
27 \appendix
28
29 \end{document}
```

3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1\footnote{This is footnote 1}, it comes before section 2.
19 \subsection{Subsection 1a}
20 \newpage
21 \section{} cmd
22 \subsection{} cmd
23 \subsubsection{} cmd
24 \usepackage{tikz} pkg
25 \usepackage{titlesec} pkg
26 \usepackage{times} pkg
27 \usepackage{natbib} pkg
28 \usepackage{caption} pkg
29 \secti
30 \end{document}
```



main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1\footnote{This is footnote 1}, it comes before section 2.
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \section{} cmd
24 \subsection{} cmd
25 \subsubsection{} cmd
26 \usepackage{caption} pkg
27 \usepackage{subcaption} pkg
28 \usepackage{collection} pkg
29 \section
30 \end{document}
```

3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18   This is section 1\footnote{This is footnote 1}, it comes before section 2.
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 2}
26 \section{} \end
27 \subsection{} \end
28 \subsubsection{} \end
29 \section{
30 \end{document}
```

3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1\footnote{This is footnote 1}, it comes before section 2.
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26
27 \appendix
28 \section{Appendix}
29 \end{document}
30
```

3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14 This is my abstract. It is a short overview of what the paper entails. It
15 is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1\footnote{This is footnote 1}, it comes before section 2.
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26
27 \appendix
28 \section{Appendix A}
29 \end{document}
30
```

3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1\footnote{This is footnote 1}, it comes before section 2.
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \usepackage{} pbg
23 \today cmd
24 \titlepage cmd
25 \tableofcontents cmd
26 \appendix cmd
27 \begin{} env
28 \begin{[]} env
29 \begin{()} env
30 \end{document}
31
```

3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1\footnote{This is footnote 1}, it comes before section 2.
19
20 \subsection{Subsection 1a}
21 \newpage
22 \section{Section 2}
23 \subsection{Subsection 2a}
24 \subsubsection{Subsubsection 2ai}
25 \section{} cmd
26 \subsection{} cmd
27 \subsubsection{} cmd
28 \usepackage{caption} pkg
29 \usepackage{subcaption} pkg
30 \usepackage{collection} pkg
31 \section
32 \end{document}
```

3


main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18   This is section 1\footnote{This is footnote 1}, it comes before section 2.
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26
27 \appendix
28 \section{Appendix A}
29 \section{Appendix B}
30 \end{document}
31
```

3


main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1\footnote{This is footnote 1}, it comes before section 2.
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26
27 \appendix
28 \section{Appendix A}
29 \section{Appendix B}
30 \end{document}
31
```



main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1\footnote{This is footnote 1}, it comes before section 2.
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26
27 \appendix
28 \section{Appendix A}
29 \section{Appendix B}
30
31 \end{document}
32
```



Source Rich Text

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1\footnote{This is footnote 1}, it comes before section 2.
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26
27 \appendix
28 \section{Appendix A}
29 \section{Appendix B}
30
31 \end{document}
32
```

Recompile

2 Section 2
2.1 Subsection 2a
2.1.1 Subsubsection 2ai
2.2 Subsection 2b
3 Section 3
A Appendix A
B Appendix B

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14 This is my abstract. It is a short overview of what the paper entails. It
15 is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1\footnote{This is footnote 1}, it comes before section 2.
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26
27 \appendix
28 \section{Appendix A}
29 \section{Appendix B}
30
31 \end{document}
32
```

2 Section 2

2.1 Subsection 2a

2.1.1 Subsubsection 2ai

2.2 Subsection 2b

3 Section 3

A Appendix A

B Appendix B

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1\footnote{This is footnote 1}, it comes before section 2.
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26
27 \appendix
28 \section{Appendix A}
29 \section{Appendix B}
30
31 \end{document}
32
```

2 Section 2

2.1 Subsection 2a

2.1.1 Subsubsection 2ai

2.2 Subsection 2b

3 Section 3

A Appendix A

B Appendix B

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14 This is my abstract. It is a short overview of what the paper entails. It
15 is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1\footnote{This is footnote 1}, it comes before section 2.
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26
27 \appendix
28 \section{Appendix A}
29 \section{Appendix B}
30
31 \end{document}
32
```

2 Section 2
2.1 Subsection 2a
2.1.1 Subsubsection 2ai
2.2 Subsection 2b
3 Section 3
A Appendix A
B Appendix B

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1\footnote{This is footnote 1}, it comes before section 2.
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26
27 \appendix
28 \section{Appendix A}
29 \section{Appendix B}
30
31 \end{document}
32
```

Contents

1 Section 1	2
1.1 Subsection 1a	2
2 Section 2	3
2.1 Subsection 2a	3
2.1.1 Subsubsection 2ai	3
2.2 Subsection 2b	3
3 Section 3	3
A Appendix A	3
B Appendix B	3

main.tex

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1\footnote{This is footnote 1}, it comes before section 2.
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26
27 \appendix
28 \section{Appendix A}
29 \section{Appendix B}
30
31 \end{document}
32
```

Contents

1 Section 1	2
1.1 Subsection 1a	2
2 Section 2	3
2.1 Subsection 2a	3
2.1.1 Subsubsection 2ai	3
2.2 Subsection 2b	3
3 Section 3	3
A Appendix A	3
B Appendix B	3

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14 This is my abstract. It is a short overview of what the paper entails. It
15 is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1\footnote{This is footnote 1}, it comes before section 2.
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26
27 \appendix
28 \section{Appendix A}
29 \section{Appendix B}
30
31 \end{document}
32
```

Contents

1 Section 1	2
1.1 Subsection 1a	2
2 Section 2	3
2.1 Subsection 2a	3
2.1.1 Subsubsection 2ai	3
2.2 Subsection 2b	3
3 Section 3	3
A Appendix A	3
B Appendix B	3

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1\footnote{This is footnote 1}, it comes before section 2.
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26
27 \appendix
28 \section{Appendix A}
29 \section{Appendix B}
30
31 \end{document}
32
```

Contents

1 Section 1	2
1.1 Subsection 1a	2
2 Section 2	3
2.1 Subsection 2a	3
2.1.1 Subsubsection 2ai	3
2.2 Subsection 2b	3
3 Section 3	3
A Appendix A	3
B Appendix B	3

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1\footnote{This is footnote 1}, it comes before section 2.
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26
27 \appendix
28 \section{Appendix A}
29 \section{Appendix B}
30
31 \end{document}
32
```

Contents

1 Section 1	2
1.1 Subsection 1a	2
2 Section 2	3
2.1 Subsection 2a	3
2.1.1 Subsubsection 2ai	3
2.2 Subsection 2b	3
3 Section 3	3
A Appendix A	3
B Appendix B	3

```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1\footnote{This is footnote 1}, it comes before section 2.
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26
27 \appendix
28 \section{Appendix A}
29 \section{Appendix B}
30
31 \end{document}
32
```

Contents

1 Section 1	2
1.1 Subsection 1a	2
2 Section 2	3
2.1 Subsection 2a	3
2.1.1 Subsubsection 2ai	3
2.2 Subsection 2b	3
3 Section 3	3
A Appendix A	3
B Appendix B	3


```
1 \documentclass{article}
2 \usepackage[utf8]{inputenc}
3
4 \title{Mathematical paper}
5 \author{Quick Maths Revision}
6 \date{\today}
7
8 \begin{document}
9 \maketitle
10 \titlepage
11 \tableofcontents
12 \newpage
13 \begin{abstract}
14   This is my abstract. It is a short overview of what the paper entails. It
15   is normally quite short and easy to follow.
16 \end{abstract}
17 \section{Section 1}
18 This is section 1\footnote{This is footnote 1}, it comes before section 2.
19 \subsection{Subsection 1a}
20 \newpage
21 \section{Section 2}
22 \subsection{Subsection 2a}
23 \subsubsection{Subsubsection 2ai}
24 \subsection{Subsection 2b}
25 \section{Section 3}
26
27 \appendix
28 \section{Appendix A}
29 \section{Appendix B}
30
31 \end{document}
32
```

Contents

1 Section 1	2
1.1 Subsection 1a	2
2 Section 2	3
2.1 Subsection 2a	3
2.1.1 Subsubsection 2ai	3
2.2 Subsection 2b	3
3 Section 3	3
A Appendix A	3
B Appendix B	3